

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office. APR 14 1981

Returned to applicant for correction. JUL 01 1981

Corrected application filed. _____ Map filed. _____

The applicant Stephen H. Bourne, Individually and as Executor of the
Estate of A.K. Bourne, Deceased
Box B of Zephyr Cove
Street and No. or P.O. Box No. City or Town
Nevada 89448
State and Zip Code No.

hereby make application for permission to change the

Point of diversion, manner of use and place of use

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit No. 9093 and vested right by decree
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
No. 01768
Identify right in Decree.)

- The source of water is McFaul Creek
Name of stream, lake, underground spring or other source.
- The amount of water to be changed 31 acre feet irrigation, 20.6 acre feet
domestic
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Quasi-Municipal
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
- The water heretofore permitted for Irrigation, domestic and fire protection
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
- The water is to be diverted at the following point NE 1/4, SE 1/4, Sec. 16, T 13 N,
Describe as being within a 40-acre subdivision of public survey and by course and
R 18 E, M.D.M., situated at a point in Lake Tahoe from which the
distance to a section corner. If on unsurveyed land, it should be stated.
SE corner of said Section 16 bears S 08°40'17"W, 2179.7 feet.
- The existing permitted point of diversion is located within NW 1/4, NE 1/4, Section 11,
If point of diversion is not changed, do not answer.
T 13 N, R 18 E, M.D.M., from which the NW corner of said Section 11
bears N 66°15'W, 889.1 feet.
- Proposed place of use In portions of the following subdivisions of Section 15,
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
T 13 N, R 18 E, M.D.M.; the NW 1/4, the NE 1/4, the SW 1/4, the SW 1/4
of SE 1/4, the NW 1/4 of SE 1/4. A portion of the NE 1/4 of SE 1/4 of
Section 16, T 13 N, R 18 E, M.D.M.; and the SW 1/4 of SE 1/4, the SE 1/4
SE 1/4 of Section 10, T 13 N, R 18 E, M.D.M.
- Existing place of use Irrigation of 7.74 acres in the NE 1/4, NW 1/4, Section 15
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
T 13 N, R 18 E, M.D.M., and domestic use in the W 1/2, SW 1/4, Section
manner of use of irrigation permit, describe acreage to be removed from irrigation.
15, T 13 N, R 18 E, M.D.M.
- Use will be from January 1 to December 31 of each year.
Month and Day Month and Day
- Use was permitted from May 1 to October 1 of each year.
Month and Day Month and Day
- Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Water to be diverted from Lake Tahoe
State manner in which water is to be diverted, i.e. diversion structure, ditches,
through an intake pipe and pump, and then through an extension
of Round Hill General Improvement District's water distribution system
pipes and flumes, or drilled well, etc.
- Estimated cost of works \$50,000
- Estimated time required to construct works 5 years

14. Estimated time required to complete the application of water to beneficial use 5 years

15. **Remarks:** For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Bys/ Stephen H. Bourne

P.O. Box 11456

Reno, NV 89510

Compared kg/ls

Protested.

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed _____ cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before_____

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I.....

State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No. Issued

State Engineer

AUG 31 1981
CANCELED.....BECAUSE OF FAILURE TO REFILE

CORRECTED APPLICATION WITHIN STATUTORY TIME.

STATE ENGINEER